

DISCOVERY WORLD FURNITURE INC.

2963 STONEWALL PLACE, SANFORD, FL 32773 USA

The following sample(s) was/were submitted and identified by the client as:

SGS Job No. : VNHL2105009112TY

Sample Description : 2814 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE
 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE SIDE RAILS, PLYWOOD
 0214 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE COLOR BOARD
 2114 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE COLOR BOARD
 2914R BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE COLOR BOARD
 3214 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE COLOR BOARD
 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE SIDE RAILS, EDGE GLUED PINE
 BOLT TOGETHER TWIN/TWIN, TWIN/FULL BUNK BED WITH STAIRCASE SIDE RAILS, PLYWOOD LAMINATED MDF FACE & BACK

Color : MERLOT, WHITE, HONEY, ESPRESSO, CHARCOAL PINE

Characteristic : PLYWOOD
 PLYWOOD LAMINATED MDF FACE & BACK

Buyer : WATERFALL INDUSTRIES INC.,
 DBA DISCOVERY WORLD FURNITURE INC.

Country of Origin : VIETNAM

Country of Destination : US

Sample Receiving Date : MAY 06, 2021

Final Confirmed Date : MAY 06, 2021

Testing Period : MAY 06, 2021 TO JUNE 15, 2021

Test Requested : PLEASE REFER TO THE RESULT SUMMARY.

Test Results : PLEASE REFER TO NEXT PAGE(S).

000805

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Result Summary :

Test Requested	Conclusion
I. PHYSICAL TEST	--
ASTM F1427 – 19 Standard Consumer Safety Specification for Bunk Beds	Pass/ See result
16 CFR 1513 – Requirements for Bunk Beds	Pass/ See result
16 CFR 1213 – Safety Standard for Entrapments Hazard In Bunk Bed	Pass/ See result
Static Load - Edge Test – As client's requirement	Pass/ See result
Distributed Load Capacity – As client's requirement	Pass/ See result
II. CHEMICAL TEST	--
CPSIA section 101(f) and 16 CFR 1303 – Lead in paint/similar surface coating material	Pass/ See result
Lead in accessible substrate materials – As client's requirement	Pass/ See result

Signed for and on behalf of
SGS Vietnam LTD



Ung Thanh Van
 Hardline Lab Manager

908006

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1513 – REQUIREMENTS FOR BUNK BEDS

Test Item	Test method and Requirement	Result
1513.3 Requirements		
<i>1513.3(a) Guardrails</i>		
	Any bunk bed shall provide at least two guardrails, at least one on each side of the bed, for each bed having the underside of its foundation more than 30 inches (760 mm) from the floor.	PASS
	One guardrail shall be continuous between each of the bed's end structures. "Continuous" means that any gap between the guardrail and end structure shall not exceed 0.22 inches (5.6mm) (so as to not cause a finger entrapment hazard for a child).	PASS
	The other guardrail may terminate before reaching the bed's end structures, providing there is no more than 15 inches (380mm) between either end of the guardrail and the nearest bed end structures.	PASS
	For bunk beds designed to have a ladder attached to one side of the bed, the continuous guardrail shall be on the other side of the bed.	PASS
	Guardrails shall be attached so that they cannot be removed without either intentionally releasing a fastening device or applying forces sequentially in different directions.	PASS
	The upper edge of the guardrails shall be no less than 5 inches (130 mm) above the top surface of the mattress when a mattress of the maximum thickness specified by the bed manufacturer's instructions is on the bed. <i>This requirement does not prohibit a wall-side guardrail that terminates in a quarter-circle bend and attaches to the side rail of the upper bunk foundation.</i>	PASS
	With no mattress on the bed, there shall be no openings in the structure between the lower edge of the uppermost member of the guardrail and the underside of the upper bunk's foundation that would permit passage of the wedge block of this part when tested in accordance with the procedure at §1513.4(a).	PASS
<i>1513.3(b) Bed end structures</i>		
	The upper edge of the upper bunk end structures shall be at least 5 inches (130 mm) above the top surface of the mattress for at least 50 percent of the distance between the two posts at the head and foot of the upper bunk when a mattress and foundation of the maximum thickness specified by the manufacturer's instructions is on the bed.	PASS
	With no mattress on the bed, there shall be no openings in the end structures above the foundation of the upper bunk that will permit the free passage of the wedge block when tested in accordance with the procedure at § 1513.4(b).	PASS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

000808

Test Item	Test method and Requirement	Result
	When tested in accordance with § 1513.4(c), there shall be no openings in the end structures between the underside of the foundation of the upper bunk and upper side of the foundation of the lower bunk that will permit the free passage of the wedge block, unless the openings are also large enough to permit the free passage of a 9 inch (230 mm) diameter rigid sphere.	PASS
	All portions of the boundary of any opening required by §§ 1513.4(c)(1) and (2) to be probed by the wedge block, and that permits free passage of a 9-inch diameter sphere, must conform to the neck entrapment requirements of § 1513.4(c)(3).	PASS
1513.5 Marking and labeling		
1513.5(a)	There shall be a permanent label or marking on each bed stating the name and address (city, state, and zip code) of the manufacturer, distributor, or retailer; the model number; and the month and year of manufacture.	PASS
1513.5(b)	The following warning label shall be permanently attached to the inside of an upper bunk bed end structure in a location that cannot be covered by the bedding but that may be covered by the placement of a pillow. <div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">▲ WARNING</p> <p>To help prevent serious or fatal injuries from entrapment or falls:</p> <ul style="list-style-type: none"> • Never allow a child under 6 years on upper bunk • Use only a mattress that is __ inches long and __ inches wide on upper bunk • Ensure thickness of mattress and foundation combined does not exceed __ inches and that mattress surface is at least 5 inches below upper edge of guardrails <p style="text-align: center;">DO NOT REMOVE THIS LABEL</p> </div>	PASS
1513.6	Instructions. Instructions shall accompany each bunk bed set, and shall include the following information.	PASS
1513.6(a)	<i>Size of mattress and foundation.</i> The length and width of the intended mattress and foundation shall be clearly stated, either numerically or in conventional terms such as twin size, twin extra-long, etc. In addition, the maximum thickness of the mattress and foundation required for compliance with § 1513.3(a)(5) and (b)(1) shall be stated.	PASS
1513.6(b)	<i>Safety warnings</i> The instructions shall provide the following safety warnings:	PASS
	Do not allow children under 6 years of age to use the upper bunk.	PASS



608000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item	Test method and Requirement	Result
	Use guardrails on both sides of the upper bunk.	PASS
	<i>Prohibit horseplay on or under beds.</i>	PASS
	Prohibit more than one person on upper bunk.	PASS
	Use ladder for entering or leaving upper bunk.	PASS
	If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall. <i>This applies only to bunk beds without two full-length guardrails.</i>	PASS

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab.



000810

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1213 SAFETY STANDARD FOR ENTRAPMENTS HAZARD IN BUNK BED

Test Item	Test method and Requirement	Result
1213.3 Requirements:		
<i>1213.3(a) Guardrails</i>		
	Any bunk bed shall provide at least two guardrails, at least one on each side of the bed, for each bed having the underside of its foundation more than 30 inches (760 mm) from the floor.	PASS
	One guardrail shall be continuous between each of the bed's end structures. "Continuous" means that any gap between the guardrail and end structure shall not exceed 0.22 inches (5.6mm) (so as to not cause a finger entrapment hazard for a child).	PASS
	The other guardrail may terminate before reaching the bed's end structures, providing there is no more than 15 inches (380mm) between either end of the guardrail and the nearest bed end structures.	PASS
	For bunk beds designed to have a ladder attached to one side of the bed, the continuous guardrail shall be on the other side of the bed.	PASS
	Guardrails shall be attached so that they cannot be removed without either intentionally releasing a fastening device or applying forces sequentially in different directions.	PASS
	The upper edge of the guardrails shall be no less than 5 inches (130 mm) above the top surface of the mattress when a mattress of the maximum thickness specified by the bed manufacturer's instructions is on the bed. <i>This requirement does not prohibit a wall-side guardrail that terminates in a quarter-circle bend and attaches to the side rail of the upper bunk foundation.</i>	PASS
	With no mattress on the bed, there shall be no openings in the structure between the lower edge of the uppermost member of the guardrail and the underside of the upper bunk's foundation that would permit passage of the wedge block of this part when tested in accordance with the procedure at §1213.4(a).	PASS
<i>1213.3(b) Bed end structures:</i>		
	The upper edge of the upper bunk end structures shall be at least 5 inches (130 mm) above the top surface of the mattress for at least 50 percent of the distance between the two posts at the head and foot of the upper bunk when a mattress and foundation of the maximum thickness specified by the manufacturer's instructions is on the bed.	PASS
	With no mattress on the bed, there shall be no openings in the end structures above the foundation of the upper bunk that will permit the free passage of the wedge block when tested in accordance with the procedure at § 1213.4(b).	PASS
	When tested in accordance with § 1213.4(c), there shall be no openings in the end structures between the underside of the foundation of the upper bunk and upper side of the foundation of the lower bunk that will permit the free passage of the wedge block, unless the openings are also large enough to permit the free passage of a 9 inch (230 mm) diameter rigid sphere.	PASS
	All portions of the boundary of any opening required by §§ 1213.4(c)(1) and (2) to be probed by the wedge block, and that permits free passage of a 9-inch diameter sphere, must conform to the neck entrapment requirements of § 1213.4(c)(3).	PASS

Handwritten signature

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

000811

Test Item	Test method and Requirement	Result
1213.5 Marking and labeling		
1213.5(a)	There shall be a permanent label or marking on each bed stating the name and address (city, state, and zip code) of the manufacturer, distributor, or retailer; the model number; and the month and year of manufacture.	PASS
1213.5(b)	<p>The following warning label shall be permanently attached to the inside of an upper bunk bed end structure in a location that cannot be covered by the bedding but that may be covered by the placement of a pillow.</p> <div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">▲ WARNING</p> <p>To help prevent serious or fatal injuries from entrapment or falls:</p> <ul style="list-style-type: none"> • Never allow a child under 6 years on upper bunk • Use only a mattress that is __ inches long and __ inches wide on upper bunk • Ensure thickness of mattress and foundation combined does not exceed __ inches and that mattress surface is at least 5 inches below upper edge of guardrails <p style="text-align: center;">DO NOT REMOVE THIS LABEL</p> </div>	PASS
1213.6	Instructions. Instructions shall accompany each bunk bed set and shall include the following information.	PASS
1213.6(a)	<i>Size of mattress and foundation.</i> The length and width of the intended mattress and foundation shall be clearly stated, either numerically or in conventional terms such as twin size, twin extra-long, etc. In addition, the maximum thickness of the mattress and foundation required for compliance with § 1213.3(a)(5) and (b)(1) shall be stated.	PASS
1213.6(b)	<i>Safety warnings</i> The instructions shall provide the following safety warnings:	PASS
	Do not allow children under 6 years of age to use the upper bunk.	PASS
	Use guardrails on both sides of the upper bunk.	PASS
	<i>Prohibit horseplay on or under beds.</i>	PASS
	Prohibit more than one person on upper bunk.	PASS
	Use ladder for entering or leaving upper bunk.	PASS
	If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall. <i>This applies only to bunk beds without two full-length guardrails.</i>	PASS

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab



000812

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item	Test method	Requirement	Result
Static load – Edge test	In house method (as client's request)	No structure failure when 300lbs test load is placed on 16" diameter disc 1 inches from edge. Load stays for 30 minutes.	PASS
Distributed Load Capacity	In house method (as client's request)	Apply the load gradually on top of slats. The load stays for 24 hours. Load specification per type of Bed Single: 500lb Full: 700lb Queen/King: 800lb	PASS Load 500lb for upper bank and lower bank

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab

II. CHEMICAL TEST

No.	Components	Material	Color
2	Merlot Coating on Color Panel	Coating on Wood	Merlot
3	Espresso Coating on Color Panel	Coating on Wood	Espresso
4	White Coating on Color Panel	Coating on Wood	White
5	Honey Coating on Color Panel	Coating on Wood	Honey
6	Wood of Charcoal Color Panel	Coating on Wood	Charcoal
7	Wood of Merlot Color Panel	Wood	Merlot Surfaced
8	Wood of Espresso Color Panel	Wood	Espresso Surfaced
9	Wood of White Color Panel	Wood	White Surfaced
10	Wood of Honey Color Panel	Wood	Honey Surfaced
11	Wood of Charcoal Color Panel	Wood	Charcoal Surfaced

Handwritten signature

000813

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

CPSIA section 101(f) and 16 CFR 1303 – Lead in paint/similar surface coating material (*)

Method: CPSC Test Method: CPSC-CH-E1003-09.01 'Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings'. Analysis was performed by ICP-MS.

Test Item	Result (mg/kg)			Reporting limit (mg/kg)	Permissible Limit (mg/kg)
	2	3	4		
Lead (Pb)	ND	ND	ND	10	90
Conclusion	PASS	PASS	PASS	--	--

Test Item	Result (mg/kg)		Reporting limit (mg/kg)	Permissible Limit (mg/kg)
	5	6		
Lead (Pb)	ND	ND	10	90
Conclusion	PASS	PASS	--	--

- Note :
1. mg/kg = ppm
 2. 1% = 10000ppm (mg/kg)
 3. ND = not detected
 4. With reference to Test Method CPSC-CH-E1003-09.01 dated Feb 25, 2011, the result is calculated using the minimum sample weight

(*) The content of these test results are extracted from the test report number **VNHL2103005820TY-02** where samples are claimed to be identical.

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
This / these test(s) was / were performed by SGS Vietnam's chemical lab.
The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

Lead in accessible substrate materials (*)

Test Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES.

Test Item	Result (mg/kg)			Reporting limit (mg/kg)	Client's requirement (mg/kg)
	7	8	9		
Lead (Pb)	ND	ND	ND	10	100
Conclusion	PASS	PASS	PASS	--	--

Test Item	Result (mg/kg)		Reporting limit (mg/kg)	Client's requirement (mg/kg)
	10	11		
Lead (Pb)	ND	ND	10	100
Conclusion	PASS	PASS	--	--

- Note:
1. mg/kg = milligram(s) per kilogram= ppm= part(s) per million
 2. 0.1% = 1000 mg/kg
- (*) The content of these test results are extracted from the test report number

000814

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

VNHL2103005820TY-02 where samples are claimed to be identical.

Remark: These tests were accredited ISO 17025:2017 by VILAS.
These tests were performed by SGS Vietnam's Chemical lab.
The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



Handwritten signature

000815

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



File 5

000816
000000


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



TRACKING LABEL



WARNING LABEL




Handwritten signature or initials

000017

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

CARTON LAYOUT BOX 1	CARTON LAYOUT BOX 2
	
CARTON LAYOUT BOX 3	

REPORT RESULTS REFER TO SUBMITTED SAMPLE (S) ONLY
End of Report



000818

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.