





Date: June 15, 2021

Page 1 of 13

DISCOVERY WORLD FURNITURE INC.

2963 STONEWALL PLACE, SANFORD, FL 32773 USA.

The following sample(s) was/were submitted and identified by the client as:

SGS Job No.

: VNHL2104007215TY

Sample Description

2111 BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED

BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED SIDE RAILS, PLYWOOD

0210M BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED COLOR BOARD

2810 BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED COLOR BOARD

2910 BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED COLOR BOARD

3210M BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED COLOR BOARD

BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED SIDE RAILS, EDGE

GLUED PINE

BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED SIDE RAILS, PLYWOOD

LAMINATED MDF FACE & BACK

Color

HONEY; MERLOT; WHITE; ESPRESSO; CHARCOAL

Characteristic

PINE; PLYWOOD; PLYWOOD LAMINATED MDF FACE & BACK

Buyer

WATERFALL INDUSTRIES INC.,

DBA DISCOVERY WORLD FURNITURE INC.

Country of Origin

VIETNAM

Country of Destination

US

Sample Receiving Date

: APRIL 14, 2021

Final Confirmed Date

: APRIL 14, 2021

Testing Period

APRIL 14, 2021 TO JUNE 15, 2021

Test Requested

PLEASE REFER TO THE RESULT SUMMARY.

Test Results

PLEASE REFER TO NEXT PAGE(S).

Ju -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Date: June 15, 2021

Page 2 of 13

Result Summary

Test Requested	Conclusion	
I. PHYSICAL TEST		
ASTM F1427 – 19 Standard Consumer Safety Specification for Bunk Beds	Pass/ See result	
16 CFR 1513 – Requirements for Bunk Beds	Pass/ See result	
16 CFR 1213 – Safety Standard for Entrapments Hazard In Bunk Bed	Pass/ See result	
Static Load - Edge Test - As Client's requirement	Pass/ See result	
Distributed Load Capacity – As Client's requirement	Pass/ See result	
II. CHEMICAL TEST		
CPSIA section 101(f) and 16 CFR 1303 – Lead in paint/similar surface coating material	Pass/ See result	
Lead in accessible substrate materials – As Client's requirement	Pass/ See result	

Signed for and on behalf of SGS Vietnam LTD

Thay mặt công ty

SGS Vietnam Ltd

Ung Thanh Van Hardline Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Date: June 15, 2021

Page 3 of 13

Test results:

Sample Description:

No.	Component	Material	Color
1	2111 BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED BOLT TOGETHER WOODEN TWIN/TWIN BUNK BED SIDE RAILS	1 FINISHED PRODUCT	HONEY

I. PHYSICAL TEST

ASTM F1427 - 19 Standard Consumer Safety Specification for Bunk Beds

01	Took wathed and Dogwinsmant	Result	
Clause	Test method and Requirement	1	
Clause 4.1	Performance Requirements	PASS	
Clause 4.2	Fit of Top Bed to Bottom Bed	PASS	
Clause 4.3	Mattress and Foundation Size and Fit (Top Bed)	PASS	
Clause 4.4	Mattress Size and Fit (Lower Foundation)	PASS	
Clause 4.5	Upper and Lower Foundation Support Systems	PASS	
Clause 4.6	Side Rails	PASS	
Clause 4.7	Guardrails	PASS	
Clause 4.8	Bed Structure	PASS	
Clause 4.9	Ladders	PASS	
Clause 4.10	Metal Beds: Frame and Fastenings	NA	
Clause 5	Test Method	PASS	
Clause 5.10	Permanency of Labels and Warnings	PASS	
Clause 6	Marking and Labeling	PASS	
Clause 7	Instructional Literature	PASS	

Note:

NA: Not Applicable

NR: Not Requested

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab.

The above test(s) was / were accredited ISO 17025:2017 by VILAS.

Ju-5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx







Date: June 15, 2021

Page 4 of 13

16 CFR 1513 - REQUIREMENTS FOR BUNK BEDS

Test Item	Test method and Requirement	Result
1513.3 Require		1
1513.3(a) Guai		*
	Any bunk bed shall provide at least two guardrails, at least one on each side of the bed, for each bed having the underside of its foundation more than 30 inches (760 mm) from the floor.	PASS
	One guardrail shall be continuous between each of the bed's end structures. "Continuous" means that any gap between the guardrail and end structure shall not exceed 0.22 inches (5.6mm) (so as to not cause a finger entrapment hazard for a child).	PASS
	The other guardrail may terminate before reaching the bed's end structures, providing there is no more than 15 inches (380mm) between either end of the guardrail and the nearest bed end structures.	PASS
	For bunk beds designed to have a ladder attached to one side of the bed, the continuous guardrail shall be on the other side of the bed.	PASS
	Guardrails shall be attached so that they cannot be removed without either intentionally releasing a fastening device or applying forces sequentially in different directions.	PASS
	The upper edge of the guardrails shall be no less than 5 inches (130 mm) above the top surface of the mattress when a mattress of the maximum thickness specified by the bed manufacturer's instructions is on the bed.	
	This requirement does not prohibit a wall-side guardrail that terminates in a quarter-circle bend and attaches to the side rail of the upper bunk foundation.	PASS
	With no mattress on the bed, there shall be no openings in the structure between the lower edge of the uppermost member of the guardrail and the underside of the upper bunk's foundation that would permit passage of the wedge block of this part when tested in accordance with the procedure at §1513.4(a).	PASS
1513.3(b) Bed		
ğ.	The upper edge of the upper bunk end structures shall be at least 5 inches (130 mm) above the top surface of the mattress for at least 50 percent of the distance between the two posts at the head and foot of the upper bunk when a mattress and foundation of the maximum thickness specified by the manufacturer's instructions is on the bed.	PASS

gu -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx







Date: June 15, 2021

Page 5 of 13

Test Item	Test method and Requirement	Result				
	With no mattress on the bed, there shall be no openings in the end structures above the foundation of the upper bunk that will permit the free passage of the wedge block when tested in accordance with the procedure at § 1513.4(b).	PASS				
	When tested in accordance with § 1513.4(c), there shall be no openings in the end structures between the underside of the foundation of the upper bunk and upper side of the foundation of the lower bunk that will permit the free passage of the wedge block, unless the openings are also large enough to permit the free passage of a 9 inch (230 mm) diameter rigid sphere.					
	All portions of the boundary of any opening required by §§ 1513.4(c)(1) and (2) to be probed by the wedge block, and that permits free passage of a 9-inch diameter sphere, must conform to the neck entrapment requirements of § 1513.4(c)(3).					
1513.5 Markin	g and labeling					
1513.5(a)	There shall be a permanent label or marking on each bed stating the name and address (city, state, and zip code) of the manufacturer, distributor, or retailer; the model number; and the month and year of manufacture.	PASS				
1513.5(b)	The following warning label shall be permanently attached to the inside of an upper bunk bed end structure in a location that cannot be covered by the bedding but that may be covered by the placement of a pillow.	PASS				
	^A WARNING					
	To help prevent serious or fatal injuries from entrapment or falls:					
	Never allow a child under 6 years on upper bunk					
	Use only a mattress that is inches long and inches wide on upper bunk					
	Ensure thickness of mattress and foundation combined does not exceed inches and that mattress surface is at least 5 inches below upper edge of guardrails					
	DO NOT REMOVE THIS LABEL					
1513.6	Instructions. Instructions shall accompany each bunk bed set, and shall include the following information.	PASS				

Ju.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx







Date: June 15, 2021

Page 6 of 13

Test Item	est Item Test method and Requirement	
		1
1513.6(a)	Size of mattress and foundation.	PASS
	The length and width of the intended mattress and foundation shall be clearly stated, either numerically or in conventional terms such as twin size, twin extra-long, etc. In addition, the maximum thickness of the mattress and foundation required for compliance with § 1513.3(a)(5) and (b)(1) shall be stated.	*
1513.6(b)	Safety warnings The instructions shall provide the following safety warnings:	
	Do not allow children under 6 years of age to use the upper bunk.	PASS
	Use guardrails on both sides of the upper bunk.	PASS
	Prohibit horseplay on or under beds.	PASS
	Prohibit more than one person on upper bunk.	PASS
	Use ladder for entering or leaving upper bunk.	PASS
	If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.	PASS
	This applies only to bunk beds without two full-length guardrails.	

Note:

NA: Not Applicable

NR: Not Requested

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab.

16 CFR 1213 SAFETY STANDARD FOR ENTRAPMENTS HAZARD IN BUNK BED

Test Item	Test method and Requirement	Result
rest item	rest method and Requirement	1
1213.3 Requir	rements:	
1213.3(a) Gua	rdrails	
	Any bunk bed shall provide at least two guardrails, at least one on each side of the bed, for each bed having the underside of its foundation more than 30 inches (760 mm) from the floor.	PASS
,	One guardrail shall be continuous between each of the bed's end structures. "Continuous" means that any gap between the guardrail and end structure shall not exceed 0.22 inches (5.6mm) (so as to not cause a finger entrapment hazard for a child).	PASS
	The other guardrail may terminate before reaching the bed's end structures, providing there is no more than 15 inches (380mm) between either end of the guardrail and the nearest bed end structures.	PASS
	For bunk beds designed to have a ladder attached to one side of the bed, the continuous guardrail shall be on the other side of the bed.	PASS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at $\frac{http://www.sgs.com/en/Terms-and-Conditions.aspx}{documents}$ and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at $\frac{http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx}{documents}$

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Date: June 15, 2021

Page 7 of 13

Test Item	Test method and Requirement	Result
/ Cot item		1
	Guardrails shall be attached so that they cannot be removed without either intentionally releasing a fastening device or applying forces sequentially in different directions.	PASS
	The upper edge of the guardrails shall be no less than 5 inches (130 mm) above the top surface of the mattress when a mattress of the maximum thickness specified by the bed manufacturer's instructions is on the bed. This requirement does not prohibit a wall-side guardrail that terminates in a quarter-circle bend and attaches to the side rail of the upper bunk foundation.	PASS
	With no mattress on the bed, there shall be no openings in the structure between the lower edge of the uppermost member of the guardrail and the underside of the upper bunk's foundation that would permit passage of the wedge block of this part when tested in accordance with the procedure at §1213.4(a).	PASS
213.3(b) Bed	end structures:	
	The upper edge of the upper bunk end structures shall be at least 5 inches (130 mm) above the top surface of the mattress for at least 50 percent of the distance between the two posts at the head and foot of the upper bunk when a mattress and foundation of the maximum thickness specified by the manufacturer's instructions is on the bed.	PASS
	With no mattress on the bed, there shall be no openings in the end structures above the foundation of the upper bunk that will permit the free passage of the wedge block when tested in accordance with the procedure at § 1213.4(b).	PASS
	When tested in accordance with § 1213.4(c), there shall be no openings in the end structures between the underside of the foundation of the upper bunk and upper side of the foundation of the lower bunk that will permit the free passage of the wedge block, unless the openings are also large enough to permit the free passage of a 9 inch (230 mm) diameter rigid sphere.	PASS
ä	All portions of the boundary of any opening required by §§ 1213.4(c)(1) and (2) to be probed by the wedge block, and that permits free passage of a 9-inch diameter sphere, must conform to the neck entrapment requirements of § 1213.4(c)(3).	PASS
	g and labeling	
1213.5(a)	There shall be a permanent label or marking on each bed stating the name and address (city, state, and zip code) of the manufacturer, distributor, or retailer; the model number; and the month and year of manufacture.	PASS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx







Date: June 15, 2021

Page 8 of 13

Test Item	Test method and Requirement				
1213.5(b)	The following warning label shall be permanently attached to the inside of an upper bunk bed end structure in a location that cannot be covered by the bedding but that may be covered by the placement of a pillow.				
	[△] WARNING				
	To help prevent serious or fatal injuries from entrapment or falls:				
	Never allow a child under 6 years on upper bunk				
	Use only a mattress that is inches long and inches wide on upper bunk				
	Ensure thickness of mattress and foundation combined does not exceed inches and that mattress surface is at least 5 inches below upper edge of guardrails				
	DO NOT REMOVE THIS LABEL				
1213.6	Instructions.				
	Instructions shall accompany each bunk bed set and shall include the following information.				
1213.6(a)	Size of mattress and foundation. The length and width of the intended mattress and foundation shall be clearly stated, either numerically or in conventional terms such as twin size, twin extra-long, etc. In addition, the maximum thickness of the mattress and foundation required for compliance with § 1213.3(a)(5) and (b)(1) shall be stated.	PASS			
1213.6(b)	Safety warnings The instructions shall provide the following safety warnings:				
	Do not allow children under 6 years of age to use the upper bunk.	PASS			
	Use guardrails on both sides of the upper bunk.	PASS			
	Prohibit horseplay on or under beds.				
	Prohibit more than one person on upper bunk.				
	Use ladder for entering or leaving upper bunk.				
	If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall. This applies only to bunk beds without two full-length guardrails.				

Note:

NA: Not Applicable

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab.

Ja -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Date: June 15, 2021

Page 9 of 13

Test item	Test method	Requirement	Result
			1
Static Load - Edge Test	In house method (as client's request)	No Structure failure when 300 lbs test load is placed on 16" diameter disc 1 inches from edge. Load stays for 30 minutes.	PASS For solid wood side rail and composite side
Distributed Load Capacity	In house method (as client's request)	Apply the load gradually on top of slats. The load stays for 24 hours. Load specification per type of Bed: - Single: 500 lb - Full: 700 lb - Queen/King: 800 lb	rail PASS Load 500lb for upper and lowe bunk For solid wood side rail and composite side

Note: NA: Not Applicable

Remark: This / these test(s) was / were performed by SGS Vietnam's Hardline lab.

II. CHEMICAL TEST

No.	Components Material		Color	
2	Merlot Coating on Color Panel	Coating on Wood	Merlot	
3	Espresso Coating on Color Panel	Coating on Wood	Espresso	
4	White Coating on Color Panel	Coating on Wood	White	
5	Honey Coating on Color Panel	Coating on Wood	Honey	
6	Wood of Charcoal Color Panel	Coating on Wood	Charcoal	
7	Wood of Merlot Color Panel	Wood	Merlot Surfaced	
8	Wood of Espresso Color Panel	Wood	Espresso Surfaceo	
9	Wood of White Color Panel	Wood	White Surfaced	
10	Wood of Honey Color Panel	Wood	Honey Surfaced	
11	Wood of Charcoal Color Panel	Wood	Charcoal Surfaced	

The !

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the law.







Date: June 15, 2021

Page 10 of 13

CPSIA section 101(f) and 16 CFR 1303 - Lead in paint/similar surface coating material (^)

Method: CPSC Test Method: CPSC-CH-E1003-09.01 'Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings'. Analysis was performed by ICP-MS.

Test Item		Re	sult (mg/	(kg)			Permissible Limit
	2	3	4	5	6	Reporting limit (mg/kg)	(mg/kg)
Lead (Pb)	ND	ND	ND	ND	ND	10	90
Conclusion	PASS	PASS	PASS	PASS	PASS		

Note

1. mg/kg = ppm

2.1% = 10000ppm (mg/kg)

3. ND = not detected

4. With reference to Test Method CPSC-CH-E1003-09.01 dated Feb 25, 2011, the result is

calculated using the minimum sample weight

5. (^) The content of these test results are extracted from the test report number

VNHL2103005820HG-02 where samples are claimed to be identical

Remark:

This / these test(s) was / were accredited ISO 17025:2017 by VILAS.

This / these test(s) was / were performed by SGS Vietnam's chemical lab.

The test results are considered as conform to specification based on the general consideration

simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

Lead in accessible substrate materials

Test Method (non - metallic materials): With reference to CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES.

Test Item	Result (mg/kg)					Reporting limit	Client's requirement
	7	8	9	10	11	(mg/kg)	(mg/kg)
Lead (Pb)	ND	ND	ND	ND	ND	10	100
Conclusion	PASS	PASS	PASS	PASS	PASS		

Note:

- 1. mg/kg = milligram(s) per kilogram= ppm= part(s) per million
- 2. 0.1% = 1000 mg/kg
- (^) The content of these test results are extracted from the test report number VNHL2103005820HG-02 where samples are claimed to be identical

Remark:

These tests were accredited ISO 17025:2017 by VILAS.

These tests were performed by SGS Vietnam's Chemical lab.

The test results are considered as conform to specification based on the general consideration

simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

Ju -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Date: June 15, 2021

Page 11 of 13

PHOTO OF SUBMITTED SAMPLE FOR TESTING









96.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

000739







Date: June 15, 2021

Page 12 of 13





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.








Date: June 15, 2021

Page 13 of 13



REPORT RESULTS REFER TO SUBMITTED SAMPLE (S) ONLY

*** End of Report ***



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx